Chief Secretary's Office, Adelaide, April 24th, 1900.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

J. G. Jenkins, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of February, 1895-1900.

Years	1895.	1896.	1897.	1898.	1899.	Average of Five	367,549							Total for				
*Population, Feb. 1st	347,481	351,136	352,597	356,872	362,389	Years.								1900.				
Births	800	731	654	647	690	704	704								1,443			
Rate per cent	.230	.208	.185	`181	.190	_					•1	92						
Deaths-							All Ages.	Under 1 year.	land under 5.	6 and under 20	20 and under 40.	\$0 and under 80.	60 and under 80.	80 and upwards.	Not	+Coroners'	‡Uncerti- fied gauses of Death.	
All causes	365	329	346	400	351	358	281	95	15	24	48	44	44	11	_	46	5	683
Rate per cent	.105	.094	.098	•112	.091		-076	_	_	_		_	_	_	_	-	-	
Diseases— I. Specific Febrile or Zymotic II. Parasitic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified	58 2 2 60 33 150 36	54 1 4 49 32 133 36	58 2 5 52 38 135 34	76 1 6 60 40 156 39	65 2 55 42 135 31		43 — 52 23 118 26	25 — 2 12 34 4	5 - 2 - 6 1	3 - 8 - 7 6	7 	$\frac{1}{\frac{12}{25}}$	2 - 7 4 28 3					
vIII. Ill-defined and	24	20	34	39	21	_	26 19	18	1	6	6	6	3			_	_	

*The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

† Not certified by qualified practitioners.

Causes of Deaths registered in the Month of February, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
T						Diseases of locomotive sys-		
Measles	_		V.			tem	1	_
Scarlet fever		1	Premature birth	9		Diseases of integumentary	1	
Relapsing fever	_		Cyanosis	_		system	_	_
Influenza	_	1	Congenital defects,	3	_	VII.		
Whooping-cough	2		Old age	_	11	(Accident.)		
Diphtheria	_	3	VI.			Fracture and contusion	_	10
Simple and ill-defined fever	_	_	Apoplexy	_	8	Gunshot wound	_	_
Enteric fever		5	Epilepsy	_	1	Cut, stab	_	_
Simple cholera	_	_	Convulsions	6	1	Burn and scald	_	3
Diarrhœa, dysentery	22	4	Other diseases of brain and			Poison	_	-
Remittent fever	_	_	nervous system	6	4	Drowning	_	4
Venereal affections	1	1	Diseases of organs of special			Suffocation	-	_
Erysipelas	_	_	sense	-	-	Otherwise	4	2
Pyæmia and septicæmia	_	_	Diseases of circulatory sys-			(Homicide.)		
Puerperal fever	_	3	tem	3	23	Murder and manslaughter	_	_
Other zymotic diseases	_	_	Croup	_	-	(Suicide.)		
II.			Bronchitis	1	4	Gunshot wound		_
Thrush	_	-	Pneumonia	2	8	Cut, stab		1
Worms and other parasitical			Pleurisy ,	-	3	Poison	-	1
diseases	-	-	Other diseases of respiratory		1	Drowning	-	-
III.			system	-	1 [Hanging		_
Privation-want of breast milk	_	_	Dentition	2	1	Otherwise	_	1
Alcoholism	-	-	Quinsy, sore throat	_	_	(Execution.)		
IV.			Enteritis	7	6	HangingVIII.	-	_
Rheumatic fever and rheuma-			Peritonitis	-	1			
tism of heart	_	2	Diseases of liver	_	3	Dropsy	1.4	
Rheumatism	-	1	Other diseases of digestive		_	Debility, atrophy, inanition	14	1
Gout	_	-	system	5	5	Mortification	-	_
Cancer, malignant disease	-	17	Diseases of lymphatic sys-			Tumor	-	-
Tabes mesenterica	1	_	tem and of ductless glands	1	_	Abscess	1	_
Tubercular meningitis	_	_	Diseases of urinary system	-	9	Hæmorrhage	_	_
Phthisis	_	26	Diseases of generative sys-			Sudden, cause unascertained		
Scrofula, tuberculosis	_	- 3	tem	-	2	Other ill-defined and not	0	
Other constitutional diseases	1	1	Accidents of childbirth	-	4	specified causes	3	

Return of Births and Deaths registered in the City of Adelaide in the Month of February, 1895-1900.

Years	1895.	1896.	1897.	1898.	1899.	Average of Five					1	900.						Total for
Population, Jan. 1st	40,167	40,406	40,384	40,475	40,637	Years.					41	,005						1900.
Births	78	85	71	61	76	74	75									166		
Rate per cent	•194	·210	.176	•151	·187	_					•1	.83					1,31	
Deaths-	*						All Ages.	Under lyear.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied causes of death.	
All causes	77	76	63	97	63	75	66	11	4	8	19	8	14	2	_	7	-	158
Rate per cent	•192	•188	·156	·240	•155	-	·161	_	_	_	_	_	_	_	_	_	-	
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 11. Dietic 12. Constitutional v. Developmental vI. Local vII. Violence vIII. Ill-defined and not specified causes	8 1 1 27 5 27 4	10 	$\frac{6}{1}$ 17 9 23 2	14 1 1 18 9 36 10	11 — 12 9 26 3		9 — — 19 3 22 9	2 - 1 2 3	2 - 1 - -	3 2	9 -4 2	1 - 3 - 4						

^{*} Including inquests.

Causes of Deaths registered in the Month of February, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above
I.						Accidents of childbirth	_	_
Measles		i - il	Scrofula, tuberculosis	_	2	Diseases of locomotive system	_	-
Scarlet fever	-	-	Other constitutional diseases	_	1	Diseases of integumentary		
Relapsing fever	_					system	_	
Influenza	_	-	V.	7 3				
Whooping-cough		_	Premature birth	-	-	VII. (Accident.)		
Diphtheria	,500-	2	Cyanosis		-	Fracture and contusion	-	1
Simple and ill-defined fever	-	_	Congenital defects	1	_	Gunshot wound	-	_
Enteric fever	-	2	Old age	_	2	Cut, stab		_
Simple cholera	2	12	VI.			Burn and scald		-
Diarrhœa, dysentery Remittent fever		_			1	Poison		-
Venereal affections	_	1	Apoplexy Epilepsy	_	_	Drowning Suffocation	-	2
Erysipelas			Convulsions		_	Otherwise	3	
Pyæmia and septicæmia	_	_	Other diseases of brain and			(Homicide.)	0	
Puerperal fever		2	nervous system	_	1	Murder and manslaughter	_	
Other zymotic diseases	_		Diseases of organs of special		-	(Suicide.)		
			sense		_	Gunshot wound		_
II.			Diseases of circulatory system	_	6	Cut, stab		1
Thrush	_	_	Croup	_	_	Poison	_	1
Worms and other parasitical			Bronchitis	_	1	Drowning	-	_
diseases	_	3 10 10 10	Pneumonia		3	Hanging	_	_
			Pleurisy	-	1	Otherwise	-	1
III.			Other diseases of respiratory			(Execution)		
Privation—want of breast milk	-	_	system	-	_	Hanging	-	_
Alcoholism	_		Dentition	_	100			
IV.			Quinsy, sore throat			VIII.		
Rheumatic fever and rheuma-			Enteritis	1	1	Dropsy	_	
tism of heart			Peritonitis		_	Debility, atrophy, inanition	3	1
Rheumatism	_	1	Diseases of liver Other diseases of digestive	_	_	Mortification	_	_
Gout			system	1	2	Tumor		_
Cancer, malignant disease		7	Diseases of lymphatic sys-	1	2	Abscess	10	
Tabes mesenterica			tem and of ductless glands	_		Hæmorrhage	_	_
Tubercular meningitis	_		Diseases of urinary system		3	Other ill-defined and not	_	
Phthisis		8	Diseases of generative system		1	specified causes		

⁺ Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deuths in Public Institutions, of persons not usually resident in the city, in the Month of February, 1900.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	41,005	6,164	7,164	8,826	10,239	3,657	4,955
Persons to an acre	11.3	10.8	10.9	16.0	14.3	7.6	7.6
Births Male Female	75 39 36	9 4 5	13 9 4	18 8 10	18 8 10	10 6 4	7 4 3
Deaths	48 25 23	6 5 1	12 5 7	5 4 1	11 4 7	5 2 3	9 5 4
CLASSES. I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	5 — 14 3 16 6 4	- 4 1 1	1 - 1 1 4 2 3	1 - 3 - 1 -	2 - 2 - 3 3 1	- 1 - 3 1	1 - 3 1 4 -
Percentage of Deaths to population of each Ward	-117	.097	`168	.057	107	·137	•182

Causes of Deaths registered in the Month of February, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Yea
I.			Phthisis	_	6	Accidents of childbirth	_	_
Measles	_	_	Scrofula, tuberculosis	_	1	Diseases of locomotive system	_	
Scarlet fever		_	Other constitutional diseases.		1	Diseases of integumentary		
Relapsing fever	_	_				system	_	-
nfluenza	_	_	V.			VII.		1
Vhooping-cough	_	_	Premature birth	_	_		1	
Diphtheria	_	2	Cyanosis	_	_	(Accident.)		
imple and ill-defined fever	_	_	Congenital defects	1	_	Fracture and contusion	_	_
Interio fever	_	_	Old age	-	2	Gunshot wound	_	_
imple cholera	_					Cut, stab	-	-
Diarrhœa, dysentery	2	_	VI.			Burn and scald	-	_
Remittent fever	_	_	Apoplexy	_	1	Poison	_	
enereal affections	_	1	Epilepsy	_	_	Drowning	_	2
rysipelas		_	Convulsions	_		Suffocation		_
væmia and septicæmia	_	_	Other diseases of brain and			Otherwise	3	_
uerperal fever		_	nervous system		1	(Homicide.)		
ther zymotic diseases	_	_	Diseases of organs of special			Murder and manslaughter	_	_
ther zymotic discusce			sense	_	_	(Suicide.)		
II.			Diseases of circulatory system	_	5	Gunshot wound	_	_
hrush	_	_	Croup	_	_	Cut, stab	_	
Vorms and other parasitical			Bronchitis	_	1	Poison	_	1
diseases	_	_	Pneumonia	_	2	Drowning	_	_
diseases			Pleurisy	_	1	Hanging		-
. III.			Other diseases of respiratory			Otherwise	-	_
Privation — Want of breast			system	_	1 _	(Execution)		
			Dentition	_	_	Hanging	-	-
milk	_		Quinsy, sore throat	l _	_	VIII.		
lcoholism			Enteritis	1	1	Dropsy	_	_
IV.			Peritonitis	_	_	Debility, atrophy, inanition	3	1
			Diseases of liver	_	_	Mortification	_	_
heumatic fever and rheu-			Other diseases of digestive			Tumor		· ·
matism of heart		1		1	_	Abscess	_	
heumatism	-		Diseases of lymphatic system	1		Hæmorrhage		_
out		5	and of ductless glands	_	_	Sudden, cause unascertained.		_
lancer, malignant disease	_		Diseases of urinary system	_	1	Other ill-defined and not spe-		
abes mesenterica	-	_	Diseases of drinary system Diseases of generative system	_	1	cified causes	_	-
	-							

FEBRUARY, 1900.

The highest temperature in the shade at the Adelaide Observatory during the month was $107^{\circ}\cdot 4$ on the 4th; and the lowest, $53^{\circ}\cdot 1$, on the 27th. The mean temperature of the month was $74^{\circ}\cdot 8$.

The greatest range of the thermometer in one day, 39°·7, took place on the 22nd, viz., from a maximum of 95°·8 to a minimum of 56°·1; the lowest range, 18°·3, on the 26th.

The mean height of the barometer was 29.890 inches; the maximum, 30.152 inches, occurred on the 27th; and the minimum, 29.443 inches on the 15th.

Observatory, Adelaide, March 6th, 1900.

C. Todd, Observer.